

ABSTRACT

SAFITRIYANTI SAMARANG. Relationship between Average Length of Stay (AvLOS) and Anxiety Level of Patient's Families in the Intensive Care Unit (ICU) of RSUD Otanaha. Supervised by SABIRIN B SYUKUR as chairman and FADLI SYAMSUDDIN as Member.

The fast-paced atmosphere and hectic activities of the ICU caused the family to experience anxiety problems. The impact of various aspects is the lengthening of the average length of stay (AVLOS), such as in medical and economic terms, which can cause losses to the hospital, patient and family. The objective of research was to determine the relationship between the Average Length of Stay (AvLOS) and the Anxiety Level of the Patient's Family in the Intensive Care Unit (ICU) Room of Otanaha Hospital. The method was carried out using a quantitative approach with a cross sectional design with a total sample of 22 people used a sampling technique, namely accidental sampling. The results showed the majority of the respondents' length of stay were in the category of long stay ≥ 5 days, a total of 15 people or (68.2%) and moderate anxiety level of 10 people or (45.5%). There is a Relationship between AvLOS (Average Length Of Stay) with Family Anxiety at Otanaha Hospital with p value = $0.03 < 0.05$. It was concluded, the length of stay was closely related to the incidence of anxiety experienced by the patient's family during the patient's stay at the hospital. Suggestions Nurses can prevent family anxiety by increasing effective communication with patients and their families.

Keywords: ICU, Anxiety, Length of stay



ABSTRAK

SAFITRIYANTI SAMARANG. Hubungan Average Length Of Stay (AvLOS) Dengan Tingkat Kecemasan Keluarga Pasien Di Ruang Intensive Care Unit (ICU) RSUD Otanaha. Dibimbing oleh SABIRIN B SYUKUR sebagai ketua dan FADLI SYAMSUDDIN sebagai Anggota.

Suasana yang serba cepat dan aktivitas ICU yang sibuk menyebabkan keluarga mengalami masalah kecemasan. Dampak dari berbagai aspek memanjangnya lama rawat atau / *average length of stay* (AVLOS) seperti dalam bentuk medis dan ekonomi yang dapat memberikan kerugian baik untuk rumah sakit, pasien maupun keluarga. Tujuan dari penelitian ini adalah: untuk mengetahui Hubungan *Average Length Of Stay* (AvLOS) Dengan Tingkat Kecemasan Keluarga Pasien Di Ruang Intensive Care Unit (ICU) RSUD Otanaha. Metode penelitian ini dilakukan dengan pendekatan kuantitatif dengan desain *cross sectional* dengan jumlah sampel sebanyak 22 orang diambil dengan menggunakan teknik sampling yaitu *accidental sampling*. Hasil penelitian menunjukkan mayoritas lama rawat responden berada pada kategori lama rawat panjang ≥ 5 hari sejumlah 15 orang atau sebesar (68.2%) serta tingkatan kecemasan sedang sejumlah 10 orang atau sebesar (45.5%). Terdapat Hubungan AvLOS (*Average Length Of Stay* / Rata-rata Lama Rawat) dengan Kecemasan Keluarga di RSUD Otanaha dengan nilai p value = $0.03 < 0.05$). Disimpulkan bahwa lama rawat berhubungan erat dengan kejadian kecemasan yang dialami oleh keluarga pasien dalam masa perawatan pasien di rumah sakit. Saran Perawat dapat mencegah terjadinya kecemasan keluarga dengan meningkatkan komunikasi efektif pada pasien serta keluarga pasien.

Kata kunci : ICU, Kecemasan, Lama Rawat