ABSTRACT

ALFISYAHRI LARIA. The Effect of Level 1 Mobilization on Hemodynamics in the ICU at RSUD Otanaha, Gorontalo City. Supervised by Pipin Yunus as Chair and Susanty Monoarfa as Member

Managing the ICU (Intensive Care Unit) posed significant challenges in healthcare, particularly in maintaining hemodynamic stability in critically ill patients. Early mobilization was one of the interventions that proved effective in sustaining hemodynamic stability. ***Objective of the Study****: The study aimed to determine the effect of level 1 mobilization on hemodynamics in patients in the ICU at RSUD Otanaha, Gorontalo City.* ***Research Method****: The research utilized a quasi-experimental design with a one-group pretest and posttest approach. It involved 10 respondents selected through purposive sampling. Data were collected using a questionnaire that measured hemodynamics before and after mobilization.* ***Results****: The findings indicated significant changes in several hemodynamic parameters after level 1 early mobilization, with a p-value of 0.016 < α = 0.05, leading to the rejection of H0 and acceptance of Ha, confirming the effect of early mobilization level 1.* ***Conclusion****: Level 1 early mobilization significantly affected the hemodynamic parameters of patients.* ***Recommendations****: The hospital should be more proactive in implementing early level 1 mobilization to enhance hemodynamic stability and reduce the risk of complications associated with immobilization.*

Keywords*: Early Mobilization; ICU; Hemodynamics; Level 1 Mobilization*

ABSTRAK

ALFISYAHRI LARIA Pengaruh Mobilisasi Level 1 Terhadap Hemodinamik Di Ruang ICU RSUD Otanaha Kota Gorontalo. Dibimbing Oleh Pipin Yunus, Sebagai Ketua DanSusanty Monoarfa Sebagai Anggota

Penatalaksanaan ruang ICU (Intensive Care Unit) merupakan tantangan besar dalam dunia kesehatan, terutama dalam menjaga stabilitas hemodinamik pasien kritis. Salah satu intervensi yang terbukti efektif dalam mempertahankan kestabilan hemodinamik.**Tujuan Penelitian** : Untuk mengetahui pengaruh mobilisasi level 1 terhadap hemodinamik pada pasien Di Ruang ICU RSUD Otanaha Kota Gorontalo. **Desain Penelitian** :Menggunakan desain dengan *metode quasy eksperimen one group pretest dan posttest*. Penelitian melibatkan 10 responden yang dipilih secara purposive sampling. Dikumpulkan melalui kuesioner yang mengukur hemodinamik sebelum dan sesudah mobilisasi.**Hasil Penelitian**: menunjukkan terdapat perubahan yang signifikan pada beberapa parameter hemodinamik setelah dilakukan mobilisasi dini level 1, dengan nilai *p*-vallue= 0.016 <α = 0.05 maka H0 di tolak dan Ha diterima karenaadanya pengaruh Mobilisasi Dini Level 1 Di ruang ICU RSUD Otanaha Kota Gorontalo.**Kesimpulan** : Mobilisasi dini level 1 berpengaruh signifikan terhadap parameter hemodinamik pasien di Ruang ICU RSUD Otanaha Kota Gorontalo. **Saran**: Rumah sakit diharapkan untuk lebih aktif dalam menerapkan pemberian mobilisasi dini level 1 guna untuk meningkatkan stabilitas hemodinamik pada pasien dan dapat mengurangi risiko terjadinya komplikasi akibat dari imobilisasi.

Kata kunci:Mobilisasi Dini, ICU, Hemodinamik, Mobilisasi Level 1.

Dipindai dengan CamScanner